

falken°hr

home of music

118

Much more than just a Hi-Fi rack.




Table of contents

3 Overview 118 – Klangmöbel¹ and Klangbasen² – Standard and optional equipment

KLANGMÖBEL¹ GENIUM LINE und PURE LINE

4	Genium Line
6	Pure Line
8	Basic models with prices
8	Genium Line
8	Pure Line
9	Standard equipment
9	Technology
10	Equipment Sound-core and Functional-body
13	Cladding
13	Accessories
14	Optional equipment
14	Equipment Sound-core and Functional-body
15	Cladding
15	Packaging

16	Surface finishing
16	Shelves
17	Cladding
18	Dimensions
18	Genium Line
19	Pure Line

KLANGBASEN² BASE LINE

21	Base Line
22	Basic models with prices
22	Base Line
23	Standard equipment
23	Technology
24	Equipment Sound-Core and Stability-Core
25	Cladding
25	Accessories
26	Optional equipment
26	Cladding
26	Packaging
27	Surface finishing
27	Shelves
28	Cladding
29	Dimensions
29	Base Line
30	Warranty
31	Explanations

Overview 118

Standard and Extras

Genium Line	Pure Line	Base Line
-------------	-----------	-----------

WIDTH

Single width ³	●	●	●
Double width ³	●	●	-
Triple width ³	●	●	-

DESIGN HEIGHT

118 mm	-	-	●
700 mm	●	●	-
850 mm	●	●	-
1000 mm	●	●	-

TECHNOLOGIE

Compound shelves	●	●	●
3D/10 Technology – vibrations decoupling	●	●	●
3D/10 Technology – electromagnetic decoupling	●	●	●
Sound adjustment	●	●	●
Adjustable shelves	●	●	-
Decoupling of the functional parts	●	●	●
Stability core with damping concrete	-	-	●
Modular extensible	●	●	-
Stackability	○	○	-

EQUIPMENT

Drawer	○	○	-
Rollers	-	-	-
Cable installation area with strain relief and cable inlet	●	-	-
Pluggable rear panel	●	-	-
Decoupled Base	○	○	-
Assembly tools and instruction manual	●	●	●



Genium Line


Designed for consummate listening enjoyment in a residential setting. The Genium Line has it all, high-quality sound, a sophisticated design – and features never before seen in audio furniture. The world of FalkenOhr for true audiophiles





Genium Line

Equipped with a cable installation area, claddings, a rear panel, and an optional drawer.





Pure Line

Made for purists. The focus is on sound and design. Reduced to their essence.





Pure Line

Equipped with cladding and an optional drawer.



Basic models 118

Genium Line and Pure Line

Height in mm	Design-width	Width in mm	Shelf-width in mm	Shelves in pcs	Weight ⁴ in kg	List price ⁵ Euro excl. VAT
118 Genium Line						
700	single width	698	560	3	67,0	
850	single width	698	560	3	74,0	
1000	single width	698	560	3	81,0	
700	double width	1178	1040	3	95,0	
850	double width	1178	1040	3	103,0	
1000	double width	1178	1040	3	110,0	
700	triple width	1698	1560	3	127,0	
850	triple width	1698	1560	3	137,0	
1000	triple width	1698	1560	3	147,0	
118 Pure Line						
700	single width	698	560	3	59,0	
850	single width	698	560	3	64,0	
1000	single width	698	560	3	70,0	
700	double width	1178	1040	3	84,0	
850	double width	1178	1040	3	89,0	
1000	double width	1178	1040	3	95,0	
700	triple width	1698	1560	3	112,0	
850	triple width	1698	1560	3	117,0	
1000	triple width	1698	1560	3	123,0	

Standard equipment 118




Genium Line and Pure Line

List price⁵
Euro excl. VAT.

Genium Line




Pure Line

TECHNOLOGY

Compound-Shelves	Multi-layer structure made of MDF and aluminum with a special adhesive.		●	●
3D/10 Technology – vibrations decoupling 	For us, the art of a dynamic sound image lies in deriving micro-vibrations in the best possible way and damping them as little as possible. The new, innovative connections of the FalkenOhr shelves to the stands are either damping or conductive. This enables the micro-vibrations generated by the audio devices in one shelf to be dissipated without disturbing the other levels. Your benefit: The micro-vibrations of the electronics are dissipated in a targeted and extremely fast manner and the devices are decoupled from each other, this leads to a highly dynamic and precise sound image.		●	●
3D/10 Technology – electromagnetic decoupling 	The aluminum layers make it possible to discharge and shorten the voltage induced by the electromagnetic fields of the audio components. Therefore, the electromagnetic interference between two layers is drastically reduced. Your benefit: The reduced interferences lead to a significant increase in precision and clarity of sound.		●	●
Sound adjustment - analytic/warm 	Adjustment of the sound image to your acoustic preferences and conditions by adjustable damping of the spike shoes. Stone floors, certain audio components, or living room conditions can create a too hard, rigid, or even over-analytical sound. Therefore, inserting a plastic ring into the floor plate is possible. Otherwise, the stainless-steel floor plate rests directly on the floor. The damping can be adjusted individually for each stand, and this results in a different damping/coupling for each shelf.		●	●
Shelves can be rearranged in a grid of 25 mm	Each shelf can be rearranged individually at any time in a 25 mm grid.		●	●

Standard equipment 118

Genium Line and Pure Line

		List price ⁵ Euro excl. VAT.	Genium Line	Pure Line
Clear structure 	<p>FalkenOhr audio furniture has a clear structural separation into three main structural components. These are independently mounted and decoupled from each other.</p> <p>SOUND CORE The heart of your audio furniture. Designed for an extremely clear, powerful, and spatial sound image.</p> <p>FUNCTIONAL BODY More than just a rack, the additional possibilities, and functionality for your audio furniture. Developed for your living area and your high-end audio components.</p> <p>CLADDING The beautiful cover for your audio furniture</p>		●	●
Decoupling of attachments	<p>All parts attached to the sound core are made of damping material on the one hand and are decoupled by a specially molded thermoplastic material as a connecting element on the other hand. This plastic, which is also used especially in mechanical engineering, is characterized by its high degree of homogeneity and thus uniform damping properties with high strength.</p>		●	●
Modular extensible 	<p>Klangmöbel of the same or different heights can also be arranged together as desired.</p> <p>Your benefit: Absolutely free design options for the home of your electronics.</p>		●	●
Stackability 	<p>The models in the 118 series can also be stacked on request. The shelf decoupling technology works independently for each of the two racks.</p> <p>Your benefit: Full technology for confined space conditions.</p>		○	○

10

Standard equipment 118

Genium Line and Pure Line

List price⁵
Euro excl. VAT.

Genium Line

Pure Line

EQUIPMENT

SOUND-CORE

Stands incl. spikes
4 pcs.



Made of highly homogenous, cast aluminum EN AW-5083 in natural E6 / CO anodized.


Raw aluminum is rather soft and therefore absorbs resonances well and can distribute and transmit them very evenly due to its ordered microstructure. When the surface is finished with anodizing, a hard layer is created which makes the aluminum resistant and at the same time very conductive to sound. This enables extremely fast transmission of vibrations and resonances and at the same time a certain and desired damping. This combination cannot be found in any other material in such a balanced way.

Spikes made of stainless steel 1.4305

●

●

Shelves
3 pcs.




Composite shelves with innovative integrated connection technology.

A shelf is conductively connected to exactly one stand and insulated with the other 3 stands, thereby vibrations from one shelf cannot influence any other shelves. This leads to the perfect transmission of the micro-vibrations created by the electronics and to the high stiffness of the sound-core

●

●

Spike shoes
4 pcs.



Ground plate milled out of stainless steel 1.4305. Optional plastic ring made of highly damping molded polyamide which has a high mechanical load capacity and good damping characteristics

●

●

Standard equipment 118

Genium Line and Pure Line

List price⁵
Euro excl. VAT.

Genium Line

Pure Line

FUNCTIONAL-BODY

Cable-Installation-Area



Separate, easily accessible room for your cable installation. Designed for orderly arrangement and mounting of the signal and electrical cables. Suitable for cable diameters up to 20 mm and plug diameters up to 42 mm. Completely decoupled from the sound core.

Your benefit: "Invisible" cable installation, protection against dust, and easy cleaning.

●

–

Strain relief rails 2 pcs.



Strain relief rails made of anodized aluminum within the installation level for fixing the cables. The strain relief rails can be implemented in a grid of 25 mm without tools.

Your benefit: Clean and orderly cable installation. Decoupled from the sound core.

●

–

Decoupling the cables



For cable diameters of 6-20 mm. O-rings for fixing the cables. The cables can vibrate freely in this bracket and are also decoupled from external mechanical oscillations and vibrations.

Your benefit: minimizing external interference on the cabling and thus a clear improvement in the sound quality of your electronics.

●

–

Cable inlet from the top






This recess in the rear panel enables cable routing from the top of the rack to the installation area.

●

–

Standard equipment 118

Genium Line and Pure Line

		List price ⁵ Euro excl. VAT.	Genium Line	Pure Line
Rear-Panel 	<p>The back wall can be hinged or simply removed completely. Therefore, you have complete access to the installation of your electronics. Mounted, the back wall is the perfect cover and shield for your wiring.</p> <p>Your benefit: Perfect protection for your cabling and a high-quality visual impression from the front of the furniture.</p>		●	—
CLADDING				
Cladding incl. decoupling 	<p>Made of damping MDF.</p> <p>The beautiful cover for your audio furniture. Designed to complete the visual delight. Apart from the aesthetic appearance, the clarity of the sound is further enhanced due to the mass and the shielding of the audio devices from external influences.</p> <ul style="list-style-type: none"> Decoupled from the sound core. 		●	●
ACCESSORIES				
Assembly tools and instruction manual 	<p>Complete accessories for perfect installation and optimization of your audio furniture. Range depending on the model selected:</p> <ul style="list-style-type: none"> 4 pcs. spike shoes 4 pcs. Plastic inserts for ground plate 1 pc. Open-end wrench 22 1 pc. Open-end wrench 13 1 pc. circular bubble Allen wrench O-Rings White cotton gloves Instruction manual 		●	●

Optional equipment 118

Genium Line and Pure Line

List price⁵
Euro excl. VAT.

Genium Line

Pure Line

EQUIPMENT

SOUND-CORE

Additional shelf
1 pc.



Composite shelves with innovative integrated connection technology.

Single width
Double width
Triple width

○

○

Decoupled Base
1 pc.



For each desired position, a 12 mm thick aluminum plate (EN AW-5083, natural E0/C6 anodized) is inserted into the shelf and supported on 3 spikes with spike shoes. These are made of stainless steel 1.4305.

The maximum sound solution through additional mass and decoupling, optionally for one or more levels.

Your benefit: Maximum decoupling of the electronics from the environment and each other. Therefore you get the highest possible precision in sound.

○

○

FUNCTIONAL-BODY

Drawer
1 pc.



Drawer, as optimal storage space for your Hifi accessories. This drawer can be mounted anywhere below a shelf. The drawer opens and closes quietly and effortlessly with a gentle tap. Vibration technically decoupled from the sound core.

- TIP-ON BLUMOTION⁶ fittings
- Drawer made of MDF
- exclusive flocked inlay mat against shifting




Single width
Double width
Triple width

○

○

Optional equipment 118

Genium Line and Pure Line

			List price ⁵ Euro excl. VAT.	Genium Line	Pure Line
CLADDING					
Design element incl. decoupling 	Plugged design element for covering the spikes and the spike-shoes. Made of aluminum (EN AW-5083, natural E0 / C6 anodized). <ul style="list-style-type: none"> Decoupled from the sound core 			○	○
without design element 					
PACKAGING					
Packaging 	Packed in a high-grade wooden box made of light, strength, and resistant Ceiba plywood. The lid of the box is clipped and removable.	Single width Double width Triple width		○	○





Surface finishing 118

Genium Line and Pure Line









Extra charge ⁵ per shelf Euro excl. VAT single width	Extra charge ⁵ per shelf Euro excl. VAT double width	Extra charge ⁵ per shelf Euro excl. VAT triple-width	Genium Line	Pure Line
---	---	---	-------------	-----------

SHELVES

Lacquered finishes

	Black ⁸ <input type="checkbox"/> matt G30, slightly structured <input type="checkbox"/> semi-gloss G70				● ○	● ○
	Black ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				- ○	- ○
	Arctic grey ⁸ <input type="checkbox"/> matt G30, slightly structured <input type="checkbox"/> semi-gloss G70				○ ○	○ ○
	Arctic grey ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				○ ○	○ ○

Real wood veneers

	Maple ⁸ <input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70				○ ○	○ ○
	Maple ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				○ ○	○ ○
	Pear ⁸ <input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70				○ ○	○ ○
	Pear ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				○ ○	○ ○
	Makassar replica ⁸ <input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70				○ ○	○ ○
	Makassar replica ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				○ ○	○ ○
	Makassar ⁸ <input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70				○ ○	○ ○
	Makassar ⁸ <input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished				○ ○	○ ○
	Teak ⁸ <input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70				○ ○	○ ○

Individual surface finishing

Your desired finish ⁸ on request				○	
---	--	--	--	---	--

Surface finishing 118

Genium Line and Pure Line

Extra charge⁵
Euro excl. VAT
Complete Cladding

Genium Line

Pure Line

CLADDING

Lacquered finishes

	Black ⁸	<input type="checkbox"/> matt G30 - soft touch <input type="checkbox"/> semi-gloss G70		● ○	● ○
	Black ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		- ○	- ○
	Pure white ⁸	<input type="checkbox"/> matt G30 – soft touch <input type="checkbox"/> semi-gloss G70		● ○	● ○
	Pure white ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○	○ ○













Metallic finishes







	Arctic grey metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○	○
	Arctic grey metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○	○ ○
	Luxor metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○	○
	Luxor metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○	○ ○
	Crystal Red metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○	○
	Crystal Red metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○	○ ○
	Deep Crystal Blue metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○	○
	Deep Crystal Blue metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○	○ ○

Individual surface finishing







Your desired finish ⁸ on request		○	○
---	--	---	---

Dimensions 118

Single width	Double width	Triple width
118 Genium Line		
Design height 700 mm	Usable height 566 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 4 shelf levels.	
		
		
Design height 850 mm ⁹	Usable height 716 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 5 shelf levels.	
		
		

Single width	Double width	Triple width
Design height 1000 mm ⁹	Usable height 866 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 5 shelf levels.	
		
		

118 Pure Line

Design height 700 mm	Usable height 566 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 4 shelf levels.	
		
		







Single width

Double width

Triple width







Design height 850 mm ⁹

Usable height 716 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 5 shelf levels.



Design height 1000 mm ⁹


Usable height 866 mm. The shelves can be adjusted in height in a grid of 25 mm. Shelf-thickness 34 mm. Max. 5 shelf levels.





Base Line

The base for your power amps and/or speakers. Created as an ideal complement to Pure Line and Genium Line.



6 ○ Design element

Basic models 118

Base Line

Height in mm	Width in mm	Usable width in mm	Depth in mm	Usable depth in mm	Weight ⁴ in kg	List price ⁵ Euro excl. VAT
118 Base Line						
109	518	400	528	528	35,0	
109	678	560	528	528	44,0	
109	518	400	800	800	54,0	
109	678	560	800	800	68,0	




Standard equipment 118

Base Line

List price⁵
Euro excl. VAT.

Base Line

TECHNOLOGY

Compound-Shelves	Multi-layer structure made of MDF and aluminum with a special adhesive.		●
3D/10 Technology – vibrations decoupling 	<p>For us, the art of a dynamic sound image lies in deriving micro-vibrations in the best possible way and damping them as little as possible. The new, innovative connections of the FalkenOhr shelves to the stands are all conductive for the bases. This enables the micro-vibrations generated in the shelf by the audio component to be dissipated quickly and specifically.</p> <p>Your benefit: The micro-vibrations of the electronics are dissipated in a targeted and extremely fast manner, and this leads to a highly dynamic and precise sound image.</p>		●
Stability core 	<p>To drastically increase the stability and insensitivity of the bases to external vibration influences, they are equipped with their own 25 kg stabilization layer filled with damping concrete.</p> <p>Your benefit: Stiffness and high mass extend the clarity and power of the sound image once again significantly.</p>		●
Clear structure 	<p>FalkenOhr bases have a clear structural separation into three main structural components. These are independently mounted and decoupled from each other.</p> <p>SOUND CORE The heart of your bases. Designed for an extremely clear, powerful, and spatial sound image.</p> <p>STABILITY CORE More mass and stiffness for more precision</p> <p>CLADDING The beautiful cover for your bases</p>		●
Decoupling of attachments	All parts attached to the sound core are made of damping material on the one hand and are decoupled by a specially molded thermoplastic material as a connecting element on the other hand. This plastic, which is also used especially in mechanical engineering, is characterized by its high degree of homogeneity and thus uniform damping properties with high strength.		●

23


Standard equipment 118

Base Line

List price⁵
Euro excl. VAT.

Base Line

Sound adjustment - analytic/warm



Adjustment of the sound image to your acoustic preferences and conditions by adjustable damping of the spike shoes. Stone floors, certain audio components, or living room conditions can create a too hard, rigid, or even over-analytical sound. Therefore, inserting a plastic ring into the floor plate is possible. Otherwise, the stainless-steel floor plate rests directly on the floor. The damping can be adjusted individually for each stand, and this results in a different damping/coupling for each shelf.

●

EQUIPMENT

SOUND-CORE

Stands incl. spikes 2 pcs.




Made of highly homogenous, cast aluminum EN AW-5083 in natural E6/CO anodized.

Raw aluminum is rather soft and therefore absorbs resonances well and can distribute and transmit them very evenly due to its ordered microstructure. When the surface is finished with anodizing, a hard layer is created which makes the aluminum resistant and at the same time very conductive to sound. This enables extremely fast transmission of vibrations and resonances and at the same time a certain and desired damping. This combination cannot be found in any other material in such a balanced way.

Spikes made of stainless steel 1.4305

●

Shelf 1 pc.




Composite shelves with innovative integrated connection technology.

A shelf is conductively connected to exactly one stand and insulated with the other 3 stands, thereby vibrations from one shelf cannot influence any other shelves. This leads to the perfect transmission of the micro-vibrations created by the electronics and to the high stiffness of the sound-core

●

Spike shoes 4 pcs.



Ground plate milled out of stainless steel 1.4305. Optional plastic ring made of highly damping molded polyamide which has a high mechanical load capacity and good damping characteristics

●

Standard equipment 118

Base Line

List price⁵
Euro excl. VAT.

Base Line

STABILITY-CORE

Stainless steel tub with damping concrete
1 pc.



Stainless steel tub filled with highly damping concrete.
Weight approx. 25 kg. Serves for a highly efficient reduction of external vibrations.

●

CLADDING

Cladding incl. decoupling



Made of damping MDF.

The beautiful cover for your audio furniture. Designed to complete the visual delight. Apart from the aesthetic appearance, the clarity of the sound is further enhanced due to the mass.

Decoupled from the sound core.

●

ACCESSORIES

Assembly tools and instruction manual



Complete accessories for perfect installation and optimization of your audio furniture. Range depending on the model selected:

- 4 pcs. spike shoes
- 4 pcs. Plastic inserts for ground plate
- 1 pc. Open-end wrench 22
- 1 pc. Open-end wrench 13
- 1 pc. circular bubble
- Allen wrench
- White cotton gloves
- Instruction manual

●

Optional equipment 118

Base Line

List price⁵
Euro excl. VAT.

Base Line

CLADDING

Design element incl.
decoupling



without design element



Plugged design element for covering the spikes and the spike-shoes. Made of aluminum (EN AW-5083, natural EO / C6 anodized).

- Decoupled from the sound core.

Base Line 528

Base Line 800

○

○

PACKAGING

Packaging



Packed in a high-grade wooden box made of light, strength, and resistant Ceiba plywood. The lid of the box is clipped and removable.

○

Surface finishing 118





Base Line

Extra charge⁵
Euro excl. VAT.










Base Line

SHELVES

Lacquered finishes

	Black ⁸	<input type="checkbox"/> matt G30, with a light-structure <input type="checkbox"/> semi-gloss G70		● ○
	Black ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		- ○
	Arctic grey ⁸	<input type="checkbox"/> matt G30, with a light-structure <input type="checkbox"/> semi-gloss G70		○ ○
	Arctic grey ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○

Real wood veneers

	Maple ⁸	<input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70		○ ○
	Maple ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Pear ⁸	<input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70		○ ○
	Pear ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Makassar replica ⁸	<input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70		○ ○
	Makassar replica ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Makassar ⁸	<input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70		○ ○
	Makassar ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Teak ⁸	<input type="checkbox"/> matt G30 <input type="checkbox"/> semi-gloss G70		○ ○

Individual surface finishing

Your desired finish ⁸ on request		○
---	--	---

Surface finishing 118

Base Line

Extra charge⁵
Euro excl. VAT
Complete Cladding

Base Line

CLADDING

Lacquered finishes

	Black ⁸	<input type="checkbox"/> matt G30 - soft touch <input type="checkbox"/> semi-gloss G70		● ○
	Black ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		- ○
	Pure white ⁸	<input type="checkbox"/> matt G30 – soft touch <input type="checkbox"/> semi-gloss G70		● ○
	Pure white ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○









Metallic finishes

	Arctic grey metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○
	Arctic grey metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Luxor metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○
	Luxor metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Crystal Red metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○
	Crystal Red metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○
	Deep Crystal Blue metallic ⁸	<input type="checkbox"/> matt G30 – soft touch		○
	Deep Crystal Blue metallic ⁸	<input type="checkbox"/> high gloss G100 <input type="checkbox"/> high gloss G100, polished		○ ○

Individual surface finishing

Your desired finish ⁸ on request		○
---	--	---

Dimensions 118

	400 width	560 width
118 Base Line		
Depth 528 mm	 	 
Depth 800 mm	 	 

Warranty

Limited Warranty

FalkenOhr guarantees that the product designated here is free from manufacturing defects in material and workmanship for 1 year from the date of purchase by the original purchaser or no later than 2 years from the date of delivery to the authorized FalkenOhr Systems dealer, whichever occurs first, under the conditions described here.

This warranty is subject to the following conditions and limitations.


1. this warranty applies only to products purchased from an authorized FalkenOhr System Partner ("AFSP") or dealer.
2. is limited to the repair of the product neither the transport or any other costs, nor the risk of disassembly, transport and installation of the product is covered by this warranty.
3. applies only to the registered buyer and is not transferable to other persons
4. applies only to manufacturing and/or material defects that were already present at the time of purchase and not:
 - for damage and wear of the surfaces caused by normal use or exposure of the furniture to sunlight and other environmental influences
 - damage caused by unpacking, installation, or improper packing
 - in case of damage resulting from use, negligence or modifications not specified in the operating instructions
 - for damage caused by defective or unsuitable additional devices
 - in case of damage caused by accidents, lightning, water, fire, heat, war, riots, or any other event beyond the control of FalkenOhr and its sales organizations
 - for products, whose serial number has been changed, dropped, or made unreadable
 - if repairs and modifications have been carried out by unauthorized persons
5. the product must be packed and returned to FalkenOhr or the authorized FalkenOhr system partner by the customer at his own expense. A written description of the defect and a photocopy of the original purchase receipt must be attached to a returned product. This receipt must show the model and serial number, date of purchase, name, and address of the buyer and the authorized dealer and the purchase price
6. FalkenOhr is in no way responsible for consequential or indirect damage or liability resulting from the use of the product discussed here or from a violation of this warranty or any implicit warranty in relation to the said product.

During the warranty period, FalkenOhr will repair or replace all defects free of charge. A Return Authorization Number (RA), which can be requested directly from FalkenOhr, is needed before a product is returned to FalkenOhr or a responsible FalkenOhr System Partner for any reason. This number must be visible on the outside of the shipping package(s) for FalkenOhr or the responsible FalkenOhr system partner to accept the return. Units sent to FalkenOhr without a visible RA number on the outside of the shipping container(s) will be returned to the sender carriage unpaid. Units that are to be repaired by FalkenOhr or the responsible authorized FalkenOhr system partner must be returned by the buyer in the original packaging material and insured. A returned product should be accompanied by a written description of the defect. Repaired devices are shipped by FalkenOhr and shipping has to be paid in advance by the customer.

All other warranties or conditions either written or implied are void.

Explanations

- ¹ Klangmöbel is a term used by FalkenOhr for HiFi racks
- ² Klangbase is a term used by FalkenOhr for Amp-Stands
- ³ The information single wide, double wide and triple wide refer to electronics in 19 " design. I.e. for devices narrower than 482.6 mm, one, two, or three can be positioned side by side.
- ⁴ Weight is valid for a rack with 3 shelves and without a drawer. Weight is an approximate value without packaging and may vary slightly
- ⁵ Non-binding recommended target price in the EU
- ⁶ <https://www.blum.com/us/en/products/motion-technologies/tip-on-blumotion/overview/>
- ⁷
- ⁸ The color and structure of the images may differ from the real product
- ⁹ Drawing with 4 pcs. shelves (3 pcs. are included in the basic price)



FalkenOhr

Alte Gmundner Straße 4
4655 Vorchdorf

Version: April 2022

The information on prices, extend of delivery and services correspond to the knowledge available at the time of creation. Printing errors and mistakes are reserved. All prices listed are non-binding guide prices for the EU area.